


Reflexology Map of the Male Right Foot (sole)


1.1 Kidney	5.1 Nose
1.2 Ureter	5.2 Larynx
1.3 Bladder	5.3 Trachea, bronchi
1.4 Adrenal gland	5.4 Lung, bronchi
2.1 Cerebellum	6.0 Heart
2.2 Cerebrum 2.3 Frontal lobe	7.0 Gential organs
2.4 Temporal lobe	8.1 Thymus gland
2.5 Occipital lobe	8.2 Thyroid glands
2.6 Pituitary gland	9.1 Eye, inside
3.1 Oesophagus	9.2 Ear, inside
3.2 Stomach and liver	10.1 Nape
3.3 Duodenum	10.2 Trapezoid
3.4 Small intestine	musculature
3.5 Ileocaecal valve	10.3 Shoulder blade
3.6 Appendix (caecum)	and joint
3.7 Ascending colon	10.4 Upper arm
3.8 Transverse colon	10.5 Knee, elbow, leg,
3.9 Gall bladder	forearm
3.10 Liver	10.6 Pelvis, seat
3.11 Pancreas	10.7 Groin
4.1 Occiput	
4.2 Cervical vertebrae	



Reflexology Map of the Female Left Foot (sole)


1.1 Kidney	5.1 Nose
1.2 Ureter	5.2 Laryn
1.3 Bladder	5.3 Trach
1.4 Adrenal gland	5.4 Lung,
2.1 Cerebellum	6.0 Heart
2.2 Cerebrum	7.0 Genti
2.3 Frontal lobe	7.1 Ovary
2.4 Temporal lobe	tubes, uter
2.5 Occipital lobe	28.06.003-04887
2.6 Pituitary gland	8.1 Thym
3.1 Oesophagus	8.2 Thyro
	8.3 Spleer
3.2 Stomach and liver	9.1 Eye, i
 3.3 Duodenum 3.4 Small intestine 	9.2 Ear, i
3.8 Transverse colon 3.10 Liver	10.1 Nape
	10.2 Trape
3.11 Pancreas	musculatu
3.12 Descending colon	10.3 Shou
3.13 Sigmoid flexure,	and joint
rectum	10.4 Uppe
4.1 Occiput	10.5 Knee
4.2 Cervical vertebrae	forearm
	10.6 Pelvi


5.2 Larynx 5.3 Trachea, bronchi 5.4 Lung, bronchi 6.0 Heart 7.0 Gential organs 7.1 Ovary, fallopian ubes, uterus 8.1 Thymus gland 8.2 Thyroid glands 8.3 Spleen 9.1 Eye, inside 9.2 Ear, inside 10.1 Nape 0.2 Trapezoid nusculature 0.3 Shoulder blade and joint 0.4 Upper arm 0.5 Knee, elbow, leg, forearm 0.6 Pelvis, seat 10.7 Groin




Reflexology foot maps


The reflexes on the left and right soles are similar, with points for many parts of the body appearing on both feet (indicated with an asterisk in the illustration below). But some organs have points on one sole only, usually reflecting the side of the body on which the organ is situated.









Acupressure chart





Facial Acupressure Chart



This chart shows some of the many Chinese acupressure points located on the face. Below are the therapeutic indications of seven commonly used ones. Press and rub the points with the tip of your thumb or index finger for 1-2 minutes, several times a day. You should feel no more than a comfortable pain as you massage each point.

Yintang: Midway between the eyebrows - calms the spirit; frontal headaches, insomnia, anxiety

Bitong: Next to the bridge of your nose on both sides - nasal congestion, sinusitis, rhinitis

Yingxiang: Either side of your nostrils - nasal congestion, sinusitis, rhinitis

Renzhong: On the midline directly below your nose - revival after fainting, shock

Jingming: On the edge of the inner orbit of each eye socket - eye diseases, sore eyes

Zanzhu: On the medial end of each eyebrow – headache, eye diseases, sore eyes

Yuyao: In the middle of the eyebrows directly above the pupils; eye problems; frontal headache

This facial acupressure chart is not intended to replace the advice of a trained health professional. It cannot be altered in any way or sold without the written permission of Matthew Scott. Chinese-holistic-health-exercises.com © 2005 Matthew Scott All Rights Reserved